



LOWER SAN JOAQUIN LEVEE DISTRICT

11704 W. Henry Miller Avenue, Dos Palos, CA (559) 400-2077

info@LSJLD.org www.lsjld.specialdistrict.org

NOTICE IS HEREBY GIVEN that on Tuesday, August 11, 2026, at 8:30 a.m., the Board of Directors of the Lower San Joaquin Levee District will meet in the Board Room of the Henry Miller Reclamation District office located at 11704 W. Henry Miller Ave, Dos Palos, California.

AGENDA

1. PLEDGE OF ALLEGIANCE
2. CORRECTIONS OR ADDITIONS
The Board will consider corrections or additions to the agenda for items requiring immediate action that have come to the Board's attention after the agenda has been posted.
3. APPROVAL OF MINUTES: Regular meeting of July 14, 2026
4. PRESENTATION:
 - a. Presentation to the Board of Directors of the completed District Audit of Fiscal Year 2024 & 2025 completed by Ryan P. Jolley, CPA.
5. LEGAL COUNSEL'S REPORT
 - a. Legislation: Review and consider taking action.
 - b. Report on other legal matters affecting the District.
6. SUPERINTENDENT'S REPORT
 - a. Maintenance Crew Activity
7. ACTION ITEM
 - a. Review and consider taking action to accept the Fiscal Year 2024 & 2025 District Audit. Completed by Ryan P. Jolley, CPA.
 - b. Consider setting a public hearing on the District's Miscellaneous Fee Schedule at the next Board meeting.
8. SECRETARY-MANAGER'S REPORT
 - a. Flood Operations and District Updates.
 - b. DWR - Deferred Maintenance Program (DMP) Update.
 - c. DWR - Flood System Repair Program (FSRP) Update.
 - d. DWR – Regional Flood Management Plan (RFMP) Update.
9. BUDGET STATUS REPORT
 - a. Acknowledgment/Approval of claims for payment: Review and consider taking action.
10. PUBLIC COMMENT: This is the time reserved for individuals to comment on Levee District business that is not on the agenda (Comments will be limited to 5 minutes; Discussions that would be longer than the 5-minute limit should be submitted for inclusion on the next regular agenda).

11. OTHER BUSINESS


12. ADJOURNMENT

The Board will consider corrections or additions to the agenda for items requiring immediate action that have come to the Board's attention after the agenda was mailed. A person with a qualifying disability under the Americans with Disabilities Act may request that the District provide modification or accommodation for participation in any public meeting of the District. Requests for assistance and for agendas and agenda packets shall be made in person, by telephone (559-400-2077), or by written correspondence to the District at least twenty-four hours before a meeting.

TOP OF CONSERVATION CONDITIONS: STATION CONDITIONS:
CENTRAL VALLEY AND RUSSIAN RIVER FLOOD CONTROL RESERVOIRS: 06-AUG-2026

Midnight: 06-Aug-2026

Change Date: 06-Aug-2026



Click for printable version of current data.

Report Generated: 07-Aug-2026 8:38 AM



8/6/2026

Readings are for the following date as of 24:00 midnight (except as noted)

Millerton Lake

518.40 ft. Res Elev.	Storage	273,902 AF	Change	-1,563 AF		Inflow	1,844 CFS
	Capacity	520,500 AF	% Capacity	52.6 %		Monthly Accum. Inflow	22,677 AF
	0 cfs, Average Spillway Discharge for 24 hours.					WY Accum. Inflow	1,342,774 AF
	355 cfs, Average San Joaquin River Outlets Discharge for 24 hours.					Monthly Accum. SJR	4,296 AF
	404 cfs, Average Madera Canal Discharge for 24 hours.					Monthly Accum. MC	5,703 AF
	1,814 cfs, Average Friant- Kern Canal Discharge for 24 hours.					Monthly Accum. FKC	21,622 AF
	2,573 cfs, Total Average Release from Friant Dam for 24 hours.						
	0.54 inches, Evaporation at Friant Dam for 24 hours ending at 06:00 the current day (report date + 1).						
	59 cfs, Evaporation at Friant Dam for 24 hours ending at 06:00 the current day (report date + 1).						

Precipitation and Temperatures

Precipitation Totals

						Month	WY
	0.00	inches, Precipitation at Friant Dam for 24 hours ending 06:00 the current day (report date + 1).				0.00	13.55
	0.00	inches, Precipitation at Crane Valley.				0.00	27.85
	0.00	inches, Precipitation at Huntington Lake.				0.00	31.48
	104	Maximum	66	Minimum	Temperatures at Friant Dam		
	97	Maximum	69	Minimum	Temperatures at Crane Valley		
	83	Maximum	58	Minimum	Temperatures at Huntington Lake		

Upstream Lake Storages

Capacity

% Capacity

69,621 AF, Thomas A. Edison Lake	125,000 AF	56 %
32,884 AF, Florence Lake	64,000 AF	51 %
87,846 AF, Huntington Lake	89,000 AF	99 %
90,296 AF, Shaver Lake	136,000 AF	66 %
87,789 AF, Mammoth Pool	120,000 AF	73 %
24,208 AF, Redinger Lake	26,000 AF	93 %
38,520 AF, Crane Valley Reservoir	46,100 AF	84 %
2,255 AF, Kerckhoff Reservoir	4,188 AF	54 %
280,647 AF, Total for Edison, Florence, Huntington and Shaver	414,000 AF	68 %
392,644 AF, Total for Southern California Edison Company	560,000 AF	70 %
433,419 AF, Total Upstream Storage	610,288 AF	71 %
707,321 AF, Total Storage	1,130,788 AF	63 %

Natural River

346 CFS, Natural River	Monthly Accum. Natural River	3,112 AF
	WY. Accum. Natural River	1,429,425 AF

Gravelly Ford and Bifurcation

131 CFS, Flow at Gravelly Ford for current day (report date + 1) @ 06:00	Monthly Accum. Gravelly Ford	1,595 AF
33 CFS, Flow at Bifurcation for current day (report date + 1) @ 06:00	Monthly Accum. Bifurcation	480 AF


2026	FRIANT DAM (USBR)										REACH 1, 2 & 3 — UPDATED BY FRIANT DAM (USBR)							
8/7/2026																		
	Natural River QA/QC	Millerton Inflow QA/QC	Millerton Lake Storage QA/QC	Mammoth Pool Storage QA/QC	Total Upstream Storage QA/QC	Friant Dam River Release (incl. spillway) QA/QC		Madera Canal QA/QC	Friant-Kern Canal QA/QC	SJR Below Hwy 145 - Skaggs Bridge (SKB) Gauge Ops QA/QC		SJR @ Gravelly Ford (GRF) Gauge Ops QA/QC		SJR Below Bifurcation (SJB) Gauge (Whitehouse) Ops QA/QC		SJR Near Mendota (MEN) Gauge Ops QA/QC		
cfs	cfs	AF	AF	AF	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs		
USBR	USBR	USBR	USBR	USBR	USBR	USBR	USBR	USBR	USBR	USBR	USBR	USBR	USBR	USBR	USBR	USBR		
07/01/26	1,010	1,618	427,092	104,880	513,310	0	350	992	3,903	223		151		67		586		
07/02/26	1,076	1,412	419,726	105,378	512,643	0	350	953	3,764	211		135		54		578		
07/03/26	692	1,517	413,512	105,846	511,006	0	350	895	3,337	214		133		47		588		
07/04/26	1,036	1,504	408,461	106,359	510,077	0	350	865	2,772	214		144		44		430		
07/05/26	1,109	1,624	403,448	106,888	509,056	0	350	839	2,891	211		144		41		419		
07/06/26	1,070	1,496	397,335	108,035	508,211	0	350	955	3,202	214		155		44		571		
07/07/26	841	1,241	390,235	107,917	507,418	0	340	984	3,436	216		149		43		614		
07/08/26	835	1,412	383,158	108,393	506,274	0	335	957	3,624	211		139		39		618		
07/09/26	922	1,468	376,320	108,647	505,191	0	335	964	3,550	206		127		35		586		
07/10/26	413	1,552	371,011	108,759	502,931	0	335	909	2,911	198		135		33		555		
07/11/26	609	1,278	366,507	108,939	501,604	0	335	844	2,300	201		140		30		443		
07/12/26	872	1,675	362,912	108,620	500,011	0	335	866	2,231	194		142		30		417		
07/13/26	679	1,832	358,626	108,054	497,724	0	335	938	2,673	199		139		32		551		
07/14/26	2,288	1,929	353,742	108,381	498,436	0	335	903	3,078	203		133		31		601		
07/15/26	496	1,868	348,490	107,688	493,715	0	335	857	3,240	196		127		26		578		
07/16/26	817	2,434	344,561	105,682	490,508	0	335	876	3,108	190		120		24		551		
07/17/26	506	1,888	340,736	105,291	487,766	0	342	836	2,586	190		118		21		549		
07/18/26	691	1,412	337,089	105,362	486,335	0	350	727	2,115	186		116		18		442		
07/19/26	31	806	331,913	105,488	484,797	0	350	750	2,251	193		129		16		409		
07/20/26	1,046	2,298	328,513	104,975	482,313	0	350	830	2,750	198		139		22		521		
07/21/26	581	1,513	323,789	104,288	480,465	0	350	854	2,635	199		133		25		588		
07/22/26	547	2,344	320,478	102,529	476,901	0	351	866	2,725	199		142		23		616		
07/23/26	668	2,165	316,818	101,306	473,932	0	350	834	2,771	198		151		23		531		
07/24/26	450	2,239	314,279	99,397	470,384	0	359	771	2,327	188		111		20		541		
07/25/26	504	1,784	311,669	98,679	467,846	0	365	706	1,964	186		133		21		515		
07/26/26	663	1,940	308,856	97,878	465,313	0	365	713	2,218	191		133		20		515		
07/27/26	576	1,932	304,754	97,222	462,624	0	365	771	2,801	199		151		26		561		
07/28/26	130	1,306	299,111	96,948	460,292	0	365	787	2,944	199		137		33		576		
07/29/26	822	1,738	294,062	96,780	458,475	0	365	805	3,056	203		166		34		584		
07/30/26	192	1,423	288,331	96,355	456,033	0	365	778	3,101	196		131		32		557		
07/31/26	-111	1,427	283,568	94,998	452,983	0	365	694	2,707	194		133		34		482		
08/01/26	220	1,923	281,635	94,111	449,605	0	365	632	1,832	194		127		34		413		
08/02/26	507	1,717	279,570	93,432	447,205	0	365	620	1,712	194		137		37		387		
08/03/26	280	1,718	277,413	92,436	444,353	0	365	485	1,892	194		135		43		461		
08/04/26	183	2,195	276,626	90,445	440,363	0	361	367	1,810	194		135		47		545		
08/05/26	33	2,036	275,465	88,998	436,391	0	355	367	1,838	194		139		42		565		
08/06/26	346	1,844	273,902	87,789	433,419	0	355	404	1,814	194		127		40		507		

Pine Flat Storage Level Graph: Choose water years to plot:

- 1976-1977 (dry) ▲
- 1977-1978
- 1982-1983 (wet) ●
- 1989-1990
- 1990-1991
- 1991-1992 ▼

(ctrl+click for multiple selections)


Pine Flat Reservoir Storage Levels



Historical Average — Total Reservoir Capacity — TOC — 1976-1977 (dry) — 1977-1978 — 1982-1983 (wet)
 — 2025-2026(current)

(ctrl+click for multiple selections)

Millerton Lake Storage Levels



Historical Average — Total Reservoir Capacity — TOC — 2014-2015 — 1977-1978 — 1982-1983 (wet) — 2025-2026(current)

Our new site is live, as part of Access 2 Water (A2W): <https://water.usace.army.mil/office/spk>.
More information available on our [Water Management FAQ](#) page.

Report

From: AMELIA NYE
To: corps.relchg.south, people.buc
Subject: Release Change - BUC

Release Notification Generated 04Aug2026 @ 0936.
All flows reported in cfs.
All times reported in local time (UTC-07:00).

Buchanan Releases as Follows		
	From	To
Change for 07Jul2026 @ 1430	210	240
Change for 08Jul2026 @ 1430	240	310
Change for 09Jul2026 @ 1430	310	250
Change for 10Jul2026 @ 1430	250	210
Change for 13Jul2026 @ 1400	210	230
Change for 14Jul2026 @ 1400	230	210
Change for 15Jul2026 @ 1500	210	330
Change for 17Jul2026 @ 1500	330	260
Change for 19Jul2026 @ 1500	260	300
Change for 20Jul2026 @ 1500	300	340
Change for 21Jul2026 @ 1400	340	330
Change for 23Jul2026 @ 1415	330	315
Change for 24Jul2026 @ 1500	315	270
Change for 25Jul2026 @ 1400	270	250
Change for 26Jul2026 @ 1400	250	280
Change for 28Jul2026 @ 1400	280	295
Change for 29Jul2026 @ 1430	295	315
Change for 30Jul2026 @ 1400	315	270
Change for 31Jul2026 @ 1500	270	200
Change for 04Aug2026 @ 0900	200	0.0
.....		
COMMENT: Release change made at request of Chowchilla		
Irrigation District.		
.....		

Download [plain text](#)

Top



US Army Corps of Engineers Sacramento District Website - Water Control Data System

Our new site is live, as part of Access 2 Water (A2W): <https://water.usace.army.mil/office/spk>.
More information available on our [Water Management FAQ](#) page.

San Joaquin Precipitation: 5-Station Index, August 07, 2026

